

PIG® Pro Drum Patch & Repair Kit

GEN472 For Drums & Tanks

Bag for first responders contains wooden wedges and a variety of supplies for plugging drum holes up to 2.5".

- Safely plug and patch drum holes up to 2-1/2" and clean up leaked liquid
- 68-piece kit includes PIG® Absorbents, tools, plugs, wooden wedges, patches and testing supplies
- Durable, water-resistant bag is compartmentalized for easy access
- Clip-closures keep tools organized and secure
- Great addition to a spill response kit



Specifications

Use With	Drums & Tanks
Repair Type	Temporary
Sold as	1 each
Weight	16 lbs.
# per Pallet	36

Composition

Mats - Polypropylene
Patch - Urethane
Cones & Wedges - Wood
Wrench - Non-Sparking Brass
Putty - Proprietary Epoxy Adhesive Ingredients
Wool, Tape - Lead

Includes

- 10 - PIG® HAZ-MAT Mat Pads (MAT301)
- 4 - PIG® Repair Putty Sticks (PTY201)
- 1 - PIG® Plug-N-Seal® No-Freeze Patching Paste (PTY237)
- 1 - Non-Sparking Drum Wrench (DRM1020)
- 1 - 2" x 8" Wooden Cone
- 1 - Large Wooden Wedge
- 1 - Medium Wooden Wedge
- 1 - Small Wooden Wedge
- 1 - Large Tapered Peg
- 1 - Small Tapered Peg
- 1 - Large Wooden Cone
- 1 - Small Wooden Cone
- 4 - Metal Screws

4 - Metal Washers
5 - Rubber Washers
1 - Dowel Pin
1 - Package Lead Wool
4 - Wooden Golf Tees
10 - Attention Stickers
8 - 2" x 7.5" Lead Tape Pieces
1 - 1" Looped Cinch Strap
1 - .5" W x 50' L pH Paper Roll (PLS236)
1 - 4" x 4" Urethane Patch
1 - Duct Tape Roll
1 - Water-Resistant Bag
1 - Rubber Mallet
1 - 2" x 8" Rubber Cone

Pieces 68 Pieces

Shelf Life 2 years

UNSPSC 27113201

Pigalog® Page Number [Page 269](#)

Metric Equivalent

Weight 7.3 kg

Technical Information

CountryNoShip

This product is subject to export restrictions and cannot be shipped to Canada or the European Union.

Technical Documents

[Instructions for PIG Multi-Purpose Epoxy Putty](#)

[PIG® Multi-Purpose Repair Putty](#)

[PIG® PLUG-N-SEAL® Patching Paste](#)

Disclaimers

HAZ-MAT Notice

To ensure effectiveness and your safety, we recommend that you conduct compatibility and absorption testing of your chemicals with PIG® HAZ-MAT products prior to purchase. If you have any questions or need samples to test, please call Technical Services.

Urethane Notice

Due to the nature of softer urethane, the physical properties of these products may change over time with exposure to certain environmental conditions like temperature, humidity, and UV radiation. Typical life expectancy is 5 years. Please inspect the stored product regularly to ensure it is in a usable state. For more details and for chemical compatibility, please call Technical Services.

