

PIG® Poly Modular Spill Deck

PAK531 Holds 4 Drums, Use With Plastic & Steel Drums, 44 gal. Sump Capacity

Connectable, shared-sump decks let you build up to your required sump capacity to help meet containment regs.

- Patented "flow-through" sump design lets liquid pass freely from one sump to another to help you comply with containment regulations
- Modular design features exclusive bulkhead fittings and predrilled ports to connect to other decks; ready to use as soon as they arrive
- Mix and match the sections you need to fit your space and help meet sump capacity requirements
- Special tools and hardware to connect sections is included with each system
- Low-profile 5.75"H design is easy to load or unload; pumps and funnels are easy to access
- Molded-in sump catches leaks, drips and spills to help keep your storage areas clean and safe
- Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals
- Textured grating adds traction and lifts out for easy sump access
- Translucent white sidewalls allow easy visual inspection
- We test all of our PIG Containment Deck designs at max load for months to ensure they can handle full capacity at your facility



Specifications

Type of Container	Plastic & Steel Drums
Color	Black/White
Dimensions	52" W x 52" L x 5.75" H
Recycled Content	48% Post-Industrial Recycled Polyethylene
Load Capacity UDL	6000 lbs.
Sump Capacity	44 gal.
Containment Type	Poly Containment Deck
Double-Stackable Unit	No

Drain	None
Fork Truck Access	No Fork Truck Access
Grates	(2) 48" L x 24" W Grates
Groundable for Flammables	No
Number of Containers	4 Drums
Sold as	1 each
Weight	75 lbs.
New Pig Patent	Patent 5,562,047; And Other Foreign Patents
# per Pallet	10
Composition	Sump - LDPE w/ UV Inhibitor Grate - Polyethylene
Includes	1 - Hardware Kit (PAK477)
UNSPSC	24101905
Pigalog® Page Number	<u>Page 375</u>

Metric Equivalent

Dimensions	132.1cm W x 132.1cm L x 14.6cm H
Load Capacity UDL	2721.6 kg
Sump Capacity	166.5 L
Weight	34 kg

Technical Information

Technical Documents

[LDPE Products](#)

[Instructions for PIG Poly Modular Spill Deck](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)

[40 CFR 264.175](#)

Disclaimers

Flammables Notice

If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com

